




www.hansol9291.com



 **(주)한솔오토팩**
HANSOL AUTOPACK CO.,LTD.

경기도 부천시 옥산로 255
TEL. 032-679-2277 FAX. 032-679-2278
www.hansol9291.com
255, Oksan-ro, Bucheon-Si, Gyeonggi-Do, KOREA.
TEL. 82-32-679-2277 FAX. 82-32-679-2278
E-mail : hansolauto@naver.com



www.hansol9291.com



HANSOL AUTOPACK

 (주)한솔오토팍
HANSOL AUTOPACK CO.,LTD.



HANSOL AUTOPACK

(주)한솔오토패크는 포장산업의 미래를 이끌어갈 주역이 되기 위해 최고의 기술력과 우수한 인재를 바탕으로 귀사의 생산성 향상 및 제품 생산 양산에 도움이 되도록 최고의 포장기계 제조에 심혈을 기울이고 있는 포장기계 전문 개발업체입니다.

생산품목으로는 고속 형상 파우치, 과립/분말, 액체타입, 스틱 타입, 정제/캡슐, 수평형자동포장기 등 각종포장기계를 제조, 판매하고 있으며 고객만족을 최우선으로 생각하고 판매에서 사후A.S 관리까지 항상 책임 있게 처리합니다.

한 차원 높은 서비스로 고객 여러분께 보답 할 것을 약속 드리며, 종합포장기 전문메이커로서 더욱 큰 꿈을 이루기 위하여 전 직원이 항상 연구 검토 실행하는 성실한 자세로 임하고 있으며 최고의 품질과 최고의 기술력으로 소비자 여러분께 보답하겠습니다. 감사합니다.

Hansol Auto Pack is a packaging machine manufacturer that has been designing and manufacturing the packaging machines for cosmetic, pharmaceutical, food & bio products with plastic packaging materials, such as particularly high speed shaped sachet pack machine, Liquid/powder stick type pack machine, Liquid/powder 4-side sealing pack machine, Horizontal 4 Side Sealing pack machine, etc.


Thanks to the assistance of many collaborators, Hansol Auto pack has been prospering continuously and Hansol Auto could be consistent in its devotion to making the world best quality products in the industry of packaging machinery to help customers improve the productivity and the value of products.

So I 'd like to express my heartfelt thanks to all our clients on behalf of Hansol staffs.



(주)한솔오토패크
HANSOL AUTOPACK CO.,LTD.

www.hansol9291.com




The Best Products and Service

형상파우치 자동포장기 [액상] Liquid Shaped-Pouch Pack Machine




HSP – L1440 (2~4열)
HSP – L1460 (2~6열)



**무광 필름 스크래치
100% 해결! (특허등록)
No Scratch for Non-
gloss film (Patent)**



Product Filling Part



Mold Cutting Device



Touch HMI Control System

HSP-L1440 (2~4Lanes) HSP-L1460 (2~6Lanes)

모델 HSP-L1440 / L1460 은
액체 화장품 / 샴푸 / 린스 / 액체 의약품 / 바이오 / 치약 등
2~3 스태프 마스크팩 모형을 포장할 위해 설계된 완전자동 형상 파우치 포장기계

Designed to pack the low to high viscous liquid products
(1 or 2 different) with user-desired special shaped
-pattern pouch automatically.



형상자동파우치 (액상) Shape Pouch (Liquid)

특 장 / FEATURES

본 형상 파우치 기계는 K.G.M.P기준에 의거 제작되었습니다.
미려한 디자인 형태 및 모형을 원하는 형태에 맞게 커팅 되어 상품의 가치를
높여줍니다.
정비 및 청소가 용이하고 조작이 간단하며 부품교환이 쉽습니다.
다양한 형태의 제품생산이 가능하며 부품교환이 간단하여 누구나 손쉽게 조작이
가능합니다.
다른 모양 교체가 쉽습니다.
※ 절단방식 : 금형커팅 및 톰슨(도무스) 칼날 선택 사용.

Manufactured according to K.G.M.P standard.
High speed operation with no noise or vibration.
Elegant shaped pattern cutting clients want increases the product value.
Easy to clean, maintain and change the filling part from the hopper/pressure vessel to the nozzle.
Easy to control the correct fill volume of the contents during your operation.
Content contact parts are made of STS 316 to prevent the corrosion from corrosive contents.
Precise filling system by means of special pump and the unique technology of cut-off nozzles.
Pneumatic pressure cushion sealing device.
Easy to change the format change parts, which makes the user produce various products.
Cutting is performed by mold cutting and Tomson knife.
Safety cover and alarm system for operator's safety.
Easy film roll changes with air shaft.
PLC and Servo motor control system.
User-friendly touch HMI control system (Swing type - Standard)
Synchronized data printing (Embossing, Ink-jet or Laser Type) system (Optional)

내용물 / CONTENTS

액체 화장품, 마스크팩, 샴푸, 린스, 액체의약품, 바이오, 치약, 크림류, 오일류,
건강식품, 등

Cosmetics, Mask pack, Shampoo, Rinse Liquid medicine, Bio products,
Tooth paste, Cream, Oil, Health food, ETC

포장재료 / PACKAGING MATERIAL

PET/PE/AL/PE/LLDPE, PET/DRY/AL/DRY/LLDPE ,기타 열 접착 가능한
포장지

PET/PE/AL/PE/LLDPE, PET/DRY/AL/DRY/LLDPE, other heat-sealable packaging
material

사 양

• 형 식	HSP-L1440 / HSP-L1460
• 포장열수	2~4 열 / 2~6 열
• 생산능력	25~60 RPM (내용물 및 포장재의 품질에 따라 다름)
• 기계치수	W1,692×L1,995×H2,300 mm
• 충전용량	1g~8g (교체사용시 8~25g)
• 인쇄맞춤	포토 광전관 써보회로 사용
• 사용전원	3Phase, 220/380V/440V×50/60HZ
• 기계중량	약 2,000 ~ 2,500 Kg

SPECIFICATION

• MODEL	HSP-L1440 / HSP-L1460
• PACKING LANE	2~4 Lanes / 2~6 Lanes
• CAPACITY	25~60 RPM (Depending on contents and packaging material)
• M/C DIMENSION	W1,692×L1,995×H2,300 mm
• FILLING CAPACITY	1g~8g (Change part 8~25g)
• ADJUSTMENT OF PRINT	Photo~electric print registration & Servo Control
• POWER CONDITION	3Phase, 220/380V/440V×50/60HZ
• WEIGHT	About 2,000 ~ 2,500 Kg

※ 포장규격은 사양에 따라 변경가능합니다.


형상파우치 자동포장기 (분말)

Powder/Granule Shaped-Pouch Pack Machine




HSP - 1445 (2~4열)

무광 필름 스크래치
100% 해결! (특허등록)
No Scratch for Non-
gloss film (Patent)



Product Filling Part



Mold Cutting Device



Touch HMI Control System

HSP-1445 (2~4Lanes)



모델 HSP-1445는
분말 / 과립 / 조미료/ 설탕 / 커피 / 차 / 종자 / 과립 약제 /
건강식품류의 모형포장을 위해 설계된 완전자동 형상 파우치 포장기계

Designed to pack the powder products with sachet with user-
desired special shaped-pattern pouch automatically.



형상자동파우치 자동포장기 (분말)

Powder/Granule Shaped-Pouch Pack Machine

특 장 / FEATURES

본 형상 파우치 기계는 K.G.M.P기준에 의거 제작되었습니다.
미려한 디자인 형태 및 모형을 원하는 형태에 맞게 커팅 되어 상품의 가치를
높여줍니다.
정비 및 청소가 용이하고 조작이 간단하며 부품교환이 쉽습니다.
다양한 형태의 제품생산이 가능하며 부품교환이 간단하여 누구나 손쉽게 조작이
가능합니다.
다른 모양 교체가 쉽습니다.
※ 절단방식 : 금형커팅 및 톰슨(도무스) 칼날 선택 사용.

Manufactured according to K.G.M.P standard.
High speed operation with no noise or vibration.
Elegant shaped pattern cutting clients want increases the product value.
Easy to clean, maintain and change the filling part from the hopper/pressure vessel to the nozzle.
Easy to control the correct fill volume of the contents during your operation.
Content contact parts are made of STS 316 to prevent the corrosion from corrosive contents.
Precise filling system by means of special pump and the unique technology of cut-off nozzles.
Pneumatic pressure cushion sealing device.
Easy to change the format change parts, which makes the user produce various products.
Cutting is performed by mold cutting and Tomson knife.
Safety cover and alarm system for operator' s safety.
Easy film roll changes with air shaft.
PLC and Servo motor control system.
User-friendly touch HMI control system (Swing type - Standard)
Synchronized data printing (Embossing, Ink-jet or Laser Type) system (Optional)

내용물 / CONTENTS

조미료 , 소금 , 설탕 , 각종분말 , 세립 , 고형물 , 분말 커피 , 제약품 , 바이오 , 건강
식품 등

Seasoning, sault, Sugar, Granule coffee, Powder & Granule from food, Pharma, Bio
and heath industries.

포장재료 / PACKAGING MATERIAL

NY+PE, OPP+PE, AL+PE, CP+PE, PAPER+PE, 기타 열 접착 가능한 포장지

NY+PE, OPP+PE, AL+PE, CP+PE, PAPER+PE, other heat-sealable packaging
material

사 양

• 형 식	HSP-1445
• 포장열수	2~4 열
• 생산능력	25~35 RPM (내용물 및 포장재의 품질에 따라 다름)
• 기계치수	W1,800×L1,450×H2,500 mm
• 충전용량	1g~8g (교체사용시 8~25g)
• 인쇄맞춤	포토 광전관 써보회로 사용
• 사용전원	3Phase, 220/380V/440V×50/60HZ
• 기계중량	약 2,000 ~ 2,500 Kg

SPECIFICATION


• MODEL	HSP-1445
• PACKING LANE	2~4 Lanes
• CAPACITY	25~35 RPM (Depending on contents and packaging material)
• M/C DIMENSION	W1,800×L1,450×H2,500 mm
• FILLING CAPACITY	1g~8g (Change part 8~25g)
• ADJUSTMENT OF PRINT	Photo~electric print registration & Servo Control
• POWER CONDITION	3Phase, 220/380V/440V×50/60HZ
• WEIGHT	About 2,000 ~ 2,500 Kg

※ 포장규격은 사양에 따라 변경가능합니다.


형상파우치 자동포장기 (정제/캡슐) Granule/Capsule Shaped-Pouch Pack Machine

HSG - 1450 (2~8열)

무광 필름 스크래치
100% 해결! (특허등록)
No Scratch for Non-
gloss film (Patent)



Product Filling Part



Mold Cutting Device



Touch HMI Control System

HSG-1450 (2~8Lanes)



모델 HSG-1450은
정제 / 캡슐 / 건강식품 / 제약품 / 바이오식품류의
모형포장을 위해 설계된 완전자동 형상파우치 포장기계

Designed to pack the granule, capsule, pharma, bio and health industries. products with user-desired special shaped-pattern pouch automatically.

형상자동파우치 자동포장기 (정제/캡슐)

특 장 / FEATURES

본 형상 파우치 기계는 K.G.M.P기준에 의거 제작되었습니다.
미려한 디자인 형태 및 모형을 원하는 형태에 맞게 커팅 되어 상품의 가치를
높여줍니다.
정비 및 청소가 용이하고 조작이 간단하며 부품교환이 쉽습니다.
다양한 형태의 제품생산이 가능하며 부품교환이 간단하여 누구나 손쉽게 조작이
가능합니다.
다른 모양 교체가 쉽습니다.
※ 절단방식 : 금형커팅 및 톰슨(도무스) 칼날 선택 사용.

내용물 / CONTENTS

정제, 캡슐, 바이오, 건강식품 등

포장재료 / PACKAGING MATERIAL

NY+PE, OPP+PE, AL+PE, CP+PE, PAPER+PE, 기타 열 접착 가능한 포장지

Granule/Capsule Shaped-Pouch Pack Machine

Manufactured according to K.G.M.P standard.
High speed operation with no noise or vibration.
Elegant shaped pattern cutting clients want increases the product value.
Easy to clean, maintain and change the filling part from the hopper/pressure vessel to the nozzle.
Easy to control the correct fill volume of the contents during your operation.
Content contact parts are made of STS 316 to prevent the corrosion from corrosive contents.
Precise filling system by means of special pump and the unique technology of cut-off nozzles.
Pneumatic pressure cushion sealing device.
Easy to change the format change parts, which makes the user produce various products.
Cutting is performed by mold cutting and Tomson knife.
Safety cover and alarm system for operator's safety.
Easy film roll changes with air shaft.
PLC and Servo motor control system.
User-friendly touch HMI control system (Swing type - Standard)
Synchronized data printing (Embossing, Ink-jet or Laser Type) system (Optional)

Granule, Capsule, Pharma, Bio and health industries.

NY+PE, OPP+PE, AL+PE, CP+PE, PAPER+PE, other heat-sealable packaging material

사 양

• 형 식	HSG-1450
• 포장열수	2~8 열
• 생산능력	25~60 RPM (내용물 및 포장재의 품질에 따라 다름)
• 기계치수	W1,800×L1,450×H2,500 mm
• 충전용량	1g~8g (교체사용시 8~25g)
• 인쇄맞춤	포토 광전관 써보회로 사용
• 사용전원	3Phase, 220/380V/440V×50/60HZ
• 기계중량	약 2,000 ~ 2,500 Kg

SPECIFICATION

• MODEL	HSG-1450
• PACKING LANE	2~8 Lanes
• CAPACITY	25~60 RPM (Depending on contents and packaging material)
• M/C DIMENSION	W1,800×L1,450×H2,500 mm
• FILLING CAPACITY	1g~8g (Change part 8~25g)
• ADJUSTMENT OF PRINT	Photo~electric print registration & Servo Control
• POWER CONDITION	3Phase, 220/380V/440V×50/60HZ
• WEIGHT	About 2,000 ~ 2,500 Kg

※ 포장규격은 사양에 따라 변경가능합니다.

액상스틱타입 자동포장기 (10~12열)

Liquid Stick Packaging Machine



HKP - L500



Product Filling Part



Vertical Sealing Roller



Touch HMI Control System

HKP-L500 (10~12Lanes)



모델 HKP-L500은

액체 의약품 / 액체 화장품 / 건강식품 / 바이오 / 유성 스프 / 케첩 / 장류 / 양념류의 포장에 위해 설계된 완전자동 삼면 접착 스틱 모양 포장기계

Designed to pack the low to high viscous liquid products with 3-side-seal stick shape sachet with multi 10~12 lanes (High capacity) automatically.



액상스틱타입자동포장기 (10~12열) Liquid Stick Packaging Machine

특 징 / FEATURES

본 스틱 자동포장기에는 K.G.M.P기준에 의거 제작, 연속 고속 운전용 기계입니다.

충전, 씰링, 커팅 위치의 조절이 가능하며 길이조절이 자유롭고 내용물 충전 방식이 특수 피스톤 타입으로 불량품 생산이 없고 필름의 Loss가 거의 없습니다.

정비 및 청소가 용이하고 이상발생시 경보, 안전사고 예방에 의한 카바 처리, 필름 자투리 제거장치 등 사용자의 편리함을 최대한 배려하였습니다.

Manufactured according to K.G.M.P standard.

High speed operation with no noise or vibration.

Elegant looking stick shape who can increase the product value (Standard R corner cutting).

Possible to adjust filling volume, sealing & cutting position during your operation.

Free to adjust the length of pack.

Error-free products and Min. film loss due to special filling system.

Precise filling system by means of special piston pump and the unique technology of cut-off nozzles.

Content contact parts are made of STS 316 to prevent the corrosion from corrosive contents.

Easy to clean and maintain.

Safety cover and alarm system for operator's safety.

PLC, servo motor (Optional) and touch HMI control system to see and control the machine conditions user-friendly.

It's easily linked with optional equipment such as automatic grouping, conveyor and 2nd packaging system, date coding solutions by traversing unit with an inkjet printer, ETC.

내용물 / CONTENTS

액체의약품, 액체화장품, 건강식품, 바이오 제품, 유성 스프, 케첩, 장류, 양념류, 오일, 소스, 바이오, 건강식품 등

Liquid medicine, Cosmetics, Health food, Bio product, Soy sauce, Sauce, ketchup and mayonnaise, ETC.

포장재료 / PACKAGING MATERIAL

NY+PE, OPP+PE, AL+PE, CP+PE, PAPER+PE, 기타 열 접착 가능한 포장지

NY+PE, OPP+PE, AL+PE, CP+PE, PAPER+PE, other heat-sealable packaging material

사 양

• 형 식	HKP-L500
• 포장열수	10~12 열
• 생산능력	20~50 RPM (내용물 및 포장재의 품질에 따라 다름)
• 기계치수	W1,400×L1,500×H2,850 mm
• 포장규격	별도 협의
• 충전용량	1~35g
• 포장형태	3면 엠보싱 접착
• 인쇄맞춤	포토 광전관 써보회로 사용
• 사용전원	3 Phase, 220/380V/440V×50/60HZ
• 기계중량	약 1,500Kg~2,500Kg

SPECIFICATION

• MODEL	HKP-L500
• PACKING LANE	10~12 Lanes
• CAPACITY	20~50 RPM (Depending on contents and packaging material)
• M/C DIMENSION	W1,400×L1,500×H2,850 mm
• PACKING SIZE	Order Specification
• FILLING CAPACITY	1~35g
• PACKING TYPE	3 Side Embossing Sealing
• ADJUSTMENT OF PRINT	Photo~electric print registration & Servo Control
• POWER CONDITION	3Phase, 220/380V/440V×50/60HZ
• WEIGHT	about 1,500Kg~2,500Kg

분말스틱타입 자동포장기 (4~6열)

Powder / Granule Stick Packaging Machine



HKP – P100 (5열)



HKP-P100 (4~6Lanes)



모델 HKP-P100은 과립 / 분말 / 조미료 / 설탕 / 커피 / 차 / 과립 약재 / 건강식품류의 포장을 위해 설계된 완전자동 삼면 접착 스틱 타입 포장기계

Designed to pack the powder/granule products with 3-side-seal stick shape sachet with multi 4~6 lanes (economic low-capacity model) automatically.



분말스틱타입자동포장기 (4~6열)

특 장 / FEATURES

본 스틱 자동포장기계는 K.G.M.P기준에 의거 제작, 연속 고속운전용 기계입니다.

충전, 쉐링, 커팅 위치의 조절이 가능하며 길이조절이 자유롭고 내용물 충전 방식이 계량컵 또는 오거 타입으로 불량품 생산이 없고 필름의 Loss가 거의 없습니다.

정비 및 청소가 용이하고 이상발생시 경보, 안전사고 예방에 의한 카바 처리, 필름 자투리 제거장치 등 사용자의 편리함을 최대한 배려하였습니다.

내용물 / CONTENTS

조미료, 소금, 설탕, 각종분말, 세립, 고형물, 분말 커피, 제약품, 바이오, 건강식품 등

포장재료 / PACKAGING MATERIAL

NY+PE, OPP+PE, AL+PE, CP+PE, PAPER+PE, 기타 열 접착 가능한 포장지

Powder/ Granule Stick Packaging Machine

Manufactured according to K.G.M.P standard.

High speed operation with no noise or vibration.

Elegant looking stick shape who can increase the product value (Standard R corner cutting).

Easy adjusting filling weights while running the machine never causes your packaging machine to stop.

Possible to adjust sealing, cutting position vertically.

Free to adjust the length of pack.

Error-free products and Min. film loss due to special filling system.

Precise filling system by means of special volumetric or auger type dosing.

Content contact parts are made of STS 316 to prevent the corrosion from corrosive contents.

Easy to clean and maintain.

Safety cover and alarm system for operator's safety.

PLC, servo motor (Optional) and touch HMI control system to see and control the machine conditions user-friendly.

It's easily linked with optional equipment such as automatic grouping, conveyor and 2nd packaging system, date coding solutions by traversing unit with an inkjet printer, CIP cleaning unit and many more.

Seasoning, sault, Sugar, Granule coffee, 3 different type of products, Powder & Granule from food, Pharma, Bio and heath food industries.

NY+PE, OPP+PE, AL+PE, CP+PE, PAPER+PE, other heat-sealable packaging material

사 양

• 형 식	HKP-P100/HKP-P250
• 포장열수	4~6 열
• 생산능력	20~50RPM (내용물 및 포장재의 품질에 따라 다름)
• 기계치수	W1,400×L1,500×H2,850 mm
• 충전용량	1g~50g
• 포장형태	3면 엠보싱 접착
• 인쇄맞춤	포토 광전관 써보회로 사용
• 사용전원	3Phase, 220/380V/440V×50/60HZ(5KWH)
• 기계중량	약 1,500Kg~2,000Kg

SPECIFICATION

• MODEL	HKP-P100/HKP-P250
• PACKING LANE	4~6Lanes
• CAPACITY	20~50RPM (Depending on contents and packaging material)
• M/C DIMENSION	W1,400×L1,500×H2,850 mm
• FILLING CAPACITY	1g~50g
• PACKING TYPE	3 Side Embossing Sealing
• ADJUSTMENT OF PRINT	Photo~electric print registration & Servo Control
• POWER CONDITION	3Phase, 220/380V/440V×50/60HZ
• WEIGHT	about 1,500Kg~2,000Kg

분말스틱타입 자동포장기 (10~12열)


Powder / Granule Stick Packaging Machine



HKP – P500



Product Filling Part



Vertical Sealing Roller



Touch HMI Control System

HKP-P500 (10~12Lanes)



모델 HKP-P500은 과립 / 분말 / 조미료 / 설탕 / 커피 / 차 / 과립 약재 / 건강식품류의 포장에 위해 설계된 완전자동 삼면 접착 스틱 타입 포장기계

Designed to pack the powder/granule products with 3-side-seal stick shape sachet with multi 10~12 lanes (High capacity) automatically.



분말스틱타입자동포장기 (10~12열) Powder/ Granule Stick Packaging Machine

특 징 / FEATURES

본 스틱 자동포장기계는 K.G.M.P기준에 의거 제작, 연속 고속운전용 기계입니다.
충전, 씰링, 커팅 위치의 조절이 가능하며 길이조절이 자유롭고 내용물 충전 방식이 계량컵 또는 오거 타입으로 불량품 생산이 없고 필름의 Loss가 거의 없습니다.
정비 및 청소가 용이하고 이상발생시 경보, 안전사고 예방에 의한 카바 처리, 필름 자투리 제거장치 등 사용자의 편리함을 최대한 배려하였습니다.

내용물 / CONTENTS

조미료, 소금, 설탕, 각종분말, 세립, 고형물, 분말 커피, 제약품, 바이오, 건강식품 등

포장재료 / PACKAGING MATERIAL

NY+PE, OPP+PE, AL+PE, CP+PE, PAPER+PE, 기타 열 접착 가능한 포장지

Manufactured according to K.G.M.P standard.

High speed operation with no noise or vibration.

Elegant looking stick shape who can increase the product value (Standard R corner cutting).

Easy adjusting filling weights while running the machine never causes your packaging machine to stop.

Possible to adjust sealing, cutting position. Free to adjust the length of pack.

Error-free products and Min. film loss due to special filling system.

Precise filling system by means of special volumetric or auger type dosing.

Content contact parts are made of STS 316 to prevent the corrosion from corrosive contents.

Easy to clean and maintain.

Safety cover and alarm system for operator's safety.

PLC, servo motor (Optional) and touch HMI control system to see and control the machine conditions user-friendly.

It's easily linked with optional equipment such as automatic grouping, conveyor and 2nd packaging system, date coding solutions by traversing unit with an inkjet printer, CIP cleaning unit and many more.

Seasoning, sault, Sugar, Granule coffee, 3 different type of products, Powder & Granule from food, Pharma, Bio and heath food industries.

NY+PE, OPP+PE, AL+PE, CP+PE, PAPER+PE, other heat-sealable packaging material

사 양

• 형 식	HKP-P500
• 포장열수	10~12 열
• 생산능력	20~60RPM (내용물 및 포장재의 품질에 따라 다름)
• 기계치수	W1,400×L1,500×H2,850 mm
• 충전용량	1~50g
• 포장형태	3면 엠보싱 접착
• 인쇄맞춤	포토 광전관 써보회로 사용
• 사용전원	3Phase, 220/380V/440V×50/60HZ
• 기계중량	약 1,500Kg~2,500Kg

SPECIFICATION

• MODEL	HKP-P500
• PACKING LANE	10~12 Lanes
• CAPACITY	20~60RPM (Depending on contents and packaging material)
• M/C DIMENSION	W1,400×L1,500×H2,850 mm
• FILLING CAPACITY	1~50g
• PACKING TYPE	3 Side Embossing Sealing
• ADJUSTMENT OF PRINT	Photo~electric print registration & Servo Control
• POWER CONDITION	3Phase, 220/380V/440V×50/60HZ
• WEIGHT	about 1,500Kg~2,500Kg

액상4면씰 자동포장기 (2~8열)


Liquid 4-Side Seal Sachet Packaging Machine



HKP - L202



Product Filling Part



Vertical Sealing Roller



내용물저장탱크 (Product Tank)

HKP-L202 (2~8Lanes)



모델 HKP-L202은
건강식품 / 액체 의약품 / 액체 화장품 / 유성 스프 / 케첩 / 장류 / 양념류
의 포장을 위해 설계된 완전자동 사면 접착 포장기계

Designed to pack the low to high viscous liquid products with
4-side-seal sachet with multi 2~8 lanes (High capacity)
automatically.



액상4면씰자동포장기(2~8열) Liquid 4-Side Seal Sachet Packaging Machine

특 징 / FEATURES

본 액체 자동포장기계는 K.G.M.P기준에 의거 제작, 연속 고속운전용 기계
입니다.
써보모터를 이용 충전, 씰링, 커팅 위치의 조절이 가능하며 누액으로 인한 불
량이 없습니다.
길이 조절이 자유롭고, 필름의 Loss가 거의 없습니다.
정비 및 청소가 용이하고 이상발생시 경보, 안전사고 예방에 의한 카바 처리,
필름자투리 제거장치 등 사용자의 편리함을 최대한 배려하였습니다.

내용물 / CONTENTS

샴푸, 크림, 치약, 오일, 간장, 소스, 젓갈류, 액체 제약, 화장품, 바이오,
건강식품 등

포장재료 / PACKAGING MATERIAL

NY+PE, OPP+PE, AL+PE, CP+PE, PAPER+PE, 기타 열접착 가능한
포장지

Manufactured according to K.G.M.P standard.
High speed operation with no noise or vibration.
Elegant looking sachet who can increase the product value.
Possible to adjust filling volume, sealing & cutting position.
Free to adjust the length of sachet pack.
Error-free products and Min. film loss due to special filling system.
Precise filling system by means of special piston pump and the unique technology of
cut-off nozzles.
Content contact parts are made of STS 316 to prevent the corrosion from corrosive contents.
Easy to clean and maintain.
Safety cover and alarm system for operator's safety.
User-friendly PLC, servo motor and touch HMI control system.
It's easily linked with optional equipment such as automatic grouping, conveyor and
2nd packaging system, date coding solutions by traversing unit with an inkjet printer,
CIP cleaning unit and many more.

Shampoo, Cream, Tooth paste, Oil, Soy sauce, Sauce, ketchup and
mayonnaise, Liquid medicine, Cosmetics, Bio product, Health food, ETC.

NY+PE, OPP+PE, AL+PE, CP+PE, PAPER+PE, other heat-sealable
packaging material

사 양

• 형 식	HKP-L202
• 포장열수	2~8 열
• 생산능력	30~45 RPM (내용물 및 포장재의 품질에 따라 다름)
• 기계치수	W1,692×L1,995×H2,300 mm
• 충전용량	1g~100g
• 포장형태	4면 엠보싱 접착
• 인쇄맞춤	포토 광전관 써보회로 사용
• 사용전원	3Phase, 220/380V/440V×50/60HZ
• 기계중량	약 1,200Kg~1,500Kg


SPECIFICATION

• MODEL	HKP-L202
• PACKING LANE	2~8 Lanes
• CAPACITY	30~45 RPM (Depending on contents and packaging material)
• M/C DIMENSION	W1,692×L1,995×H2,300 mm
• FILLING CAPACITY	1g~100g
• PACKING TYPE	4 Side Embossing Sealing
• ADJUSTMENT OF PRINT	Photo~electric print registration & Servo Control
• POWER CONDITION	3Phase, 220/380V/440V×50/60HZ
• WEIGHT	about 1,200Kg~1,500Kg


분말4면씰 자동포장기 (2~4열)

Powder/Granule 4-Side Seal Sachet Packaging Machine

HKP - P101



Product Filling Part



Vertical Sealing Roller



Touch HMI Control System

HKP-P101 (2~4Lanes)



모델 HKP-P101은
분말 / 과립 / 조미료/ 설탕 / 커피 / 차 / 종자 / 과립 약제 /
건강식품류의 포장을 위해 설계된 완전자동 사면 접착 포장기계

Designed to pack the powder/granule products with 4-side-
seal sachet with multi 2~4 lanes (High capacity) automatically.



분말4면씰자동포장기(2~4열) Powder/Granule 4-Side Seal Sachet Packaging Machine

특 장 / FEATURES

본 분말/과립 자동포장기계는 K.G.M.P기준에 의거 제작, 연속 고속운전용 기계입니다.
써보모터를 이용 충전, 실팀, 커팅 위치의 조절이 가능하며 길이 조절이 자유롭고, 필름의 Loss가 거의 없습니다.
정비 및 청소가 용이하고 이상발생시 경보, 안전사고 예방에 의한 카바 처리, 필름 자두리 제거장치 등 사용자의 편리함을 최대한 배려하였습니다.

내용물 / CONTENTS

조미료, 소금, 설탕, 각종분말, 세립, 고형물, 분말 커피, 제약품, 바이오, 건강식품 등

포장재료 / PACKAGING MATERIAL

NY+PE, OPP+PE, AL+PE, CP+PE, PAPER+PE, 기타 열 접착 가능한 포장지

Manufactured according to K.G.M.P standard.
High speed operation with no noise or vibration.
Elegant looking sachet who can increase the product value.
Easy adjusting filling weights while running the machine never causes your packaging machine to stop.
Possible to adjust sealing, cutting position. Free to adjust the length of pack.
Error-free products and Min. film loss due to special filling system.
Precise filling system by means of special volumetric or auger type dosing.
Content contact parts are made of STS 316 to prevent the corrosion from corrosive contents.
Easy to clean and maintain.
Safety cover and alarm system for operator's safety.
User-friendly PLC, servo motor and touch HMI control system.
It's easily linked with optional equipment such as automatic grouping, conveyor and 2nd packaging system, date coding solutions by traversing unit with an inkjet printer, CIP cleaning unit and many more.

Seasoning, sault, Sugar, Granule coffee, Powder & Granule from food, Pharma, Bio and heath industries.

NY+PE, OPP+PE, AL+PE, CP+PE, PAPER+PE, other heat-sealable packaging material

사 양

• 형 식	HKP-P101
• 포장열수	2~4 열
• 생산능력	30~40 RPM (내용물 및 포장재의 품질에 따라 다름)
• 기계치수	W1,692×L1,995×H2,300 mm
• 충전용량	1g~60g
• 포장형태	4면 엠보싱 접착
• 인쇄맞춤	포토 광전관 써보회로 사용
• 사용전원	3Phase, 220/380V/440V×50/60HZ
• 기계중량	약 1,200Kg~1,500Kg

SPECIFICATION

• MODEL	HKP-P101
• PACKING LANE	2Lanes~4 Lanes
• CAPACITY	30~40 RPM (Depending on contents and packaging material)
• M/C DIMENSION	W1,692×L1,995×H2,300 mm
• FILLING CAPACITY	1g~60g
• PACKING TYPE	4 Side Embossing Sealing
• ADJUSTMENT OF PRINT	Photo~electric print registration & Servo Control
• POWER CONDITION	3Phase, 220/380V/440V×50/60HZ
• WEIGHT	about 1,200Kg~1,500Kg